| | Application No. | Applicant(s) |
|--|-------------------------|------------------------------|
| Notice of Allowability | 10/812,962 | SASAKI ET AL. |
| | Examiner | Art Unit |
| | Yuriy Semenenko | 2841 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to <u>05/29/2007</u> . | | |
| 2. The allowed claim(s) is/are <u>5-7 and 18-20</u> . | | |
| 3. | | |
| 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the | | |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) 🗌 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) hereto or 2) to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| | | |
| Attachment(s) 1. Notice of References Cited (PTO-892) | 5. Notice of Informal F | Patent Application |
| Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. 🔲 Interview Summary | (PTO-413), |
| 3. Information Disclosure Statements (PTO/SB/08), | Paper No./Mail Da 7. | nte ment/Comment |
| Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit | 8. 🛛 Examiner's Statem | ent of Reasons for Allowance |
| of Biological Material | 9. 🗌 Other | . |
| | | |
| | | |
| | | |

Allowable Subject Matter

Response to Amendment

1. Amendment filed on 05/29/2007 have been entered. In response to the Office Action dated 03/22/2007, Applicants have amended claim 5 and Drawings.

Claims 1-4, 16, 17 and 21-25 have been cancelled.

Claims 5-7 and 18-20 are now pending in the application.

Drawings

2. The Drawings amendments, filed on 05/29/2007 are considered and is acknowledged. The Drawings amendments are approved.

Allowed Claims

3. Claims 5-7 and 18-20 are allowed.

The following is a statement of reasons for the indication of allowance:

The limitations "the source potential and the ground potential alternate in first metal strips which are disposed in a generally planar layer consisting of a plurality of the first metal strip, wherein the source potential and the ground potential alternate in adjacent strips of the first metal strip and the third metal strip, and wherein the potential is similar.

Application/Control Number: 10/812,962

Art Unit: 2841

in adjacent strips of the first metal strip and the second metal strip" in combination with

other claimed limitations in independent claim 5 are not disclosed or suggested by the

prior art of record. Claims 6, 7, and 18-20 depend on claim 5.

8. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Yuriy Semenenko whose telephone number is (571)

272-6106. The examiner can normally be reached on 8:30am - 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Dean A. Reichard can be reached on (571)- 272-2800 ext. 31. The fax

phone number for the organization where this application or proceeding is assigned is

571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

YS

DEAN A. REICHARD '

Page 3

TECHNOLOGY CENTER 2800